



02-2807

JPW

PTO/SB/21 (09-06)

Approved for use through 03/31/2007. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**TRANSMITTAL
FORM**

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number 10/598,444

Filing Date August 30, 2006

First Named Inventor Ambrogio et al.

Art Unit Unknown

Examiner Name Unknown

Attorney Docket Number 112701-750

ENCLOSURES (Check all that apply)

<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Change of Correspondence Address	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input checked="" type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Reply to Missing Parts/Incomplete Application	<input type="checkbox"/> Landscape Table on CD	
<input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53		

RemarksCertified Copy of EP 04004755.7
Return Receipt Postcard**SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT**

Firm Name	Bell, Boyd & Lloyd LLC		
Signature			
Printed name	Robert M. Barrett		
Date	February 27, 2007	Reg. No.	30,142

CERTIFICATE OF TRANSMISSION/MAILING


I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Signature			
Typed or printed name	Heather Foster	Date	February 27, 2007

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

THIS PAGE BLANK (USPTO)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Ambrogi et al.
Appl. No.: 11/598,444
Filed: August 30, 2006
Conf. No.: 5263
Title: FROZEN AERATED CONFECTION AND METHOD OF PRODUCTION
Art Unit: Unknown
Examiner: Unknown
Docket No.: 112701-750

Mail Stop
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF CERTIFIED COPY OF PRIORITY DOCUMENT

Applicants are respectfully enclosing the certified copy of the priority document for which priority is claimed for the above-identified application under 35 U.S.C. §119. Specifically, the document enclosed is:

<u>Document No.</u>	<u>Country</u>	<u>Date</u>
04004755.7	Europe	March 1, 2004

The Commissioner is hereby authorized to charge deposit account 02-1818 for any fees which are due and owing.

Respectfully submitted,

BELL, BOYD & LLOYD LLC

BY _____
Robert M. Barrett
Reg. No. 30,142
Customer No.: 29157

Dated: February 27, 2007

THIS PAGE BLANK (USPTO)



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

04004755.7

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

THIS PAGE BLANK (USPTO)



Anmeldung Nr:
Application no.: 04004755.7
Demande no:

Anmeldetag:
Date of filing: 01.03.04
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

NESTEC S.A.
Avenue Nestlé 55
1800 Vevey
SUISSE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Frozen confection and method of production

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A23G/

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PL PT RO SE SI SK TR LI

THIS PAGE BLANK (11/15/70)

Frozen aerated confection and method of production

5 Field of the invention

The present invention is related to a frozen aerated packaged ice confection with very high softness at -18°C and which keeps this property without shrinkage or layering up to the final consumer over the product shelf life.

10 Background of the invention

There is a problem in achieving stability of a very soft ice cream packed in cups or bulk containers.

15 Inside the ice cream there are ice crystals and air bubbles dispersed in a liquid phase. Softness generally is obtained by reducing the quantity of ice formed and this is mainly obtained by selecting the type and the amount of sugars, by adding salt or alcohol in the ice cream mix. There is some limitation in the possibilities to play with the low molecular components mentioned above for taste reasons. Thus, if further increase of softness is targeted, the only possibility is to use
20 polyols, e.g. glycerol which increases the risk of shrinkage. Shrinkage is a serious problem which makes the product unacceptable to the consumer: the volume of the ice cream shrinks, leaving a space either at the top or at the side of the package, which then appears unfull.

25 Unfortunately, the problem of instability raises with the volume of the liquid phase. Without willing to be bound by theory, when the volume of the liquid phase raises, the air bubbles have a tendency to go up which may lead to the formation of a layer of ice at the bottom of the container: this default is called layering.

30 In WO 01/06865 a solution to the problem of improved texture and stability of soft serve ice cream, in particular resistance to heat shock is obtained by creating fine and stable air cells with the aid of a specific blend of emulsifiers comprising propylene glycol monostearate, sorbitan tristearate and unsaturated
35 monoglycerides.

THIS PAGE RI ANK "15870"

EP-A-1 321 043 relates to a frozen aerated ice cream which has a soft structure at - 18° C, contains high amounts of freezing point depressing sugars and contains less than 0.5 % by weigh glycerol. Since it is for use with soft serve ice dispensing devices which comprise extrusion of cartridges containing the soft ice cream on the place of consumption, shrinkage is not an issue since the consumer would not notice it.

The purpose of the invention is to achieve stabilization of soft serve ice cream type of product for home use with high resistance to shrinkage and layering.

Summary of the invention

The present invention thus concerns an aerated frozen confection which is resistant to shrinkage and is soft up to common storage temperature, characterized in that it comprises by weight:

50 to 70 % water,

5 to 20 % fat,

1 % or more polyol,

0.5 to 7 % vegetable fibre,

the balance being sugars, milk proteins, hydrocolloids and emulsifiers and

has an overrun of 20 to 200 %.

Preferably, the product of the invention contains 2 to 8 % by weight proteins. Preferably the proteins are of milk origin and come from liquid skimmed milk, skimmed milk powder and whey powder, optionally recombined in water.

Preferably, the protein source should undergo only one pasteurisation step in order to minimize thermal denaturation of proteins. Thus milk solid non fat aid in providing the desirable properties of whipability, smoothness, body and melt resistance.

In the context of the invention, a suitable polyol can be selected from the group consisting of sorbitol, mannitol, lactitol, xylitol, maltitol and glycerol, glycerol being preferred. The role of polyol is to further soften the frozen confection by making it sufficiently soft to be scoopable at home freezer temperature of - 18° C or less. It is used to increase softness because it reduces ice content with less sweetening effect than sucrose.

Preferably, glycerol is used at a level of 1 to 5 % by weight.

THIS PAGE BLANK (USPTO)

Vegetable fibres which are contemplated in the invention can preferably be selected from the group consisting of oat fibres, fibres extracted from chicory taproots and fibregum from Acacia tree. Preferably they consist in fructo-
5 oligosaccharides, most preferably they are inulin-oligofructoses extracted from chicory. Most preferably, inulin-oligofructoses are used at a level of 2 to 4 % by weight. We have found that it has a strong effect to prevent shrinkage and ice layering, also in the presence of glycerol.

10 Preferably, the product of the invention comprises sweetener ingredients which are a combination of sucrose, dextrose and glucose sirup, preferably from corn syrup solids, that provide a desired level of sweetness and texture and decrease the freezing point of the mixture.

15 The fat may be of milk or vegetable origin and its level may be within a broad range. If less fat is used in combination with a polyol and vegetable fibre, it is then possible to manufacture a cheaper ice cream or an ice cream which is more dietetic with the same softness as a regular high fat ice cream .

20 Another advantage achieved by the invention is that live probiotic lactic acid bacteria, can be incorporated, e.g. in encapsulated form or in the form of separately cultured portion of the milk solid non fat which is added to the mix, in this latter case after pasteurisation. These probiotic bacteria can thus act in combination with the fermentescible prebiotic vegetable fibres to provide upon
25 consumption a beneficial positive influence on the development of the intestinal flora with the consumer.

The invention further concerns a method for producing an aerated frozen confection as described above, characterized in that it comprises the steps of
30 premixing vegetable fibre with water and adding the other powdery and liquid ingredients in an agitated mixing tank,
subjecting the mix to a heating step to hydrate the hydrocolloids,
pasteurising the heated mix,
homogenising the pasteurised mix,
35 cooling, ageing and freezing the mix whilst aerating,
packaging and hardening the mix.

THIS PAGE BLANK (USPTO)

Preferably, the freezing step is carried out in a scraped surface freezer at a draw temperature at the freezer outlet of -5 to -10° , most preferably at a draw temperature as low as possible of about -9 to -10° C.

The invention finally also concerns the use of vegetable fibre in combination with a polyol for improving softness and stability against shrinkage of an ice confection which contains 5 to 20 % by weight fat.

Detailed description of the invention

The present invention will be further illustrated in the following examples wherein, unless indicated otherwise, the percentages are by weight.

The softness character in the context of the invention is determined according to the following test:

The force is measured to vertically penetrate a spoon 1 cm deep into the ice cream in the centre of the ice cream mass, at -16° C. The scores thus range from "not firm, 0" to "very firm, 5" and thus gives the softness index. The softness is considered insufficient with a score of 5, when the spoon can not penetrate into the ice cream; a softness of 1 to 3 is considered to meet the goal of the invention.

Shrinkage is the partial or total loss of the air incorporated in the ice cream. Shrinkage typically occurs during ice cream storage, in particular when the ice cream is exposed to high temperature and/or temperature oscillation. Due to shrinkage, the ice cream volume is reduced, the shape can be affected and, over a determinate level of shrinkage, the products are unmarketable. A good resistance to shrinkage therefore is a key property of an ice cream. The capability of different products to keep their volume over commercial shelf-life, i.e. to resist shrinkage can simply be compared by exposing them at room temperature and visually evaluating the changes of their appearances.

The overrun is expressed as a percentage by volume and defined as the percentage by which the volume of the liquid mix for a product is increased with air during whipping and freezing.

THIS PAGE BLANK (USPTO)

Examples

Ice confections were formulated and produced according to the following processing conditions:

- 5 Vegetable fibre is mixed with some sugar or predispersed in some water at temperature of 45° C and added with all the powdery ingredients to liquid ingredients and glycerol in an agitated mixing tank.

Once all ingredients have been thoroughly blended together, the mixture was heated at 65° C for 20 min. in order to hydrate the hydrocolloids.

- 10 For pasteurisation, the mixture was then heated to a temperature of 87° C for 24 s. to achieve satisfactory treatment to confirm public health requirements and also avoiding as much as possible any significant denaturation of proteins.

- The mixture was then subjected to an homogenisation stage to reduce the dimensions of the fat droplets, by homogenising the mixture at a pressure of 120
15 to 160 bar, at a temperature of 70 to 85° C. The homogenised mix was rapidly cooled to chill temperatures, typically 4° C and then aged by holding it for 4 to 12 h at that temperature.

- The mixture was frozen using ice cream continuous freezer known as strapped surface heat exchangers where it was aerated wby incorporating sufficient air to
20 give the desired overrun. The ice confections were frozen down to draw temperatures lower than - 6° C, typically of - 8 to - 10° C.

- After being extruded together with an aromatised sauce of 45 to 55 % sugar content, topped with inclusions (for decoration) and packed into transparent plastic cups closed with transparent lids, the products were subjected to
25 hardening in a hardening tunnel and stored at - 30° C.

Formulations of examples 1-4 indicated in table 1 below concern the ice creams without the sauce and inclusions.

30

35

THIS PAGE BLANK (USPTO)

Table 1

Component	Composition %			
	Example 1	Example 2	Example 3	Example 4
Fat (cocoa fat and monodi-glyceride excluded)	6,1	5,6	5,1	14,5
Non-fat milk solids (from liquid skim milk and skim milk powder)	5,6	4,7	6,3	5,5
Whey solids	2,9	1,9	2,4	1,9
Sucrose	6,5	6,5	12	8
Corn syrup solids (DE=60, 80 % solids)	15,2	11,2	7,2	0,8
Dextrose	0,9	6,4	1,8	6,9
Locust bean gum	0,18	0,12	0,2	0,1
Guar gum	0,09	0,06	0,1	0,05
Carrageenan	0,03	0,03	0,03	0,03
Mono-diglycerides	0,2	0,2	0,2	0,4
Glycerol	2,5	3	1	5
Vegetable fibre (Imulin, Fibruline®, Cosucra)	1,9	1,4	2,9	5,8
Cocoa powder	---	5,3	---	---
Water	57,9	53,6	60,8	51
Total solids	42,1	46,4	39,2	49

- 5 The products of examples 1 to 4 were very soft with softness indexes of 1 to 2, in contrast to regular ice cream rating 5. Their overrun is 143-147 %. Samples of cylindrical shape were taken out of the freezer cabinet at a temperature of - 18° C and checked after 30 min. and respectively 60 min. at room temperature (24° C) for volume loss, compared to:

THIS PAGE BLANK (USPTO)

Comparison 1: an ice cream with glycerol to increase softness in comparison to regular ice cream and

Comparison 2: a regular ice cream with no glycerol and no vegetable fibre.

5 The products of examples 1 to 4 were found to have a resistance to shrinkage comparable to comparison 2 (regular ice cream) after 30 and after 60 min. at room temperature with almost no deformation and no apparent shrinkage.

In contrast thereto, comparison 1 showed severe deformation already after 30 min. and complete deformation and loss of 1/3 to 1/2 of the volume by shrinkage after 60 min.

10

THIS PAGE BLANK (USPTO)

Claims

1. Aerated frozen confection which is resistant to shrinkage and is soft up to common consumption temperature, characterized in that it comprises by weight:
- 5 50 to 70 % water,
5 to 20 % fat,
1 % or more polyol,
0.5 to 7 % vegetable fibre,
the balance being sugars, milk proteins, hydrocolloids and emulsifiers and
- 10 has an overrun of 20 to 200 %.
2. Aerated frozen confection according to claim 1, characterized in that it comprises 2 to 8 % by weight proteins that are predominantly coming from monopasteurized milk.
- 15 3. Aerated frozen confection according to claim 1 or 2, characterized in that the polyol is glycerol.
4. Aerated frozen confection according to claim 3, characterized in that the level
- 20 of glycerol is 1 to 5 % by weight.
5. Aerated frozen confection according to one of the preceding claims, characterized in that the vegetable fibers are oligosaccharides from chicory at a level of 2 to 4 % by weight.
- 25 6. Aerated frozen confection according to one of the preceding claims, characterized in that it has an overrun of 90 to 160 %.
7. Method for producing an aerated frozen confection as claimed in claim 1 to 6,
- 30 characterized in that it comprises the steps of:
premixing vegetable fibre with water and adding the other powdery and liquid ingredients in an agitated mixing tank,
subjecting the mix to a heating step to hydrate the hydrocolloids,
pasteurizing the heated mix,
- 35 homogenizing the pasteuzized mix,
cooling, ageing and freezing the mix whist aerating,
packaging and hardening the mix.

THIS PAGE BLANK (USPTO)

8. Method according to claim 7, characterized in that pasteurizing is carried out during about 24 to 30 s at about 90° C to 80°C.
9. Method according to claim 7, characterized in that homogenizing is carried out at about 60° C at a pressure of about 180 bar.
- 5
10. Method according to claim 7, characterized in that freezing is carried out in a scraped surface freezer at a draw temperature of - 5 to - 10° C.
- 10
11. The use of vegetable fibre in combination with a polyol for improving softness and stability against shrinkage of an ice confection which contains 5 to 20 % by weight fat.

THIS PAGE BLANK (USPTO)

Abstract**Frozen aerated confection and method of production**

5 Frozen aerated packaged ice confection with very high softness at -18°C which keeps this property without shrinkage or layering up to the final consumer over the product shelf life contains polyol and vegetable fibre.

THIS PAGE BLANK (USPTO)